



K. C. Sharma & Co.

Head Office: 15, Adarsh Apartment, ... No. 134
Vent: 120, 11th Street, New Garden Road, ... 201
Tel: 0783-224302, 0783-224303, 0783-224304, 0783-224305, 0783-224306

Annexure - IV

REVERSE ANALYSIS RESULTS OF SAMPLES DRAWN BY THIRD PARTY DURING THE PERIOD OF: May - 2008
LOADING END ANALYSIS REPORT FOR DISTRIBUTION

Date:

NAME OF COAL COMPANY: Fakhar Coalfields Ltd, Consumer - B&PP
AREA: Bambala

ANALYSIS LABORATORY: Bambala

Sl. No	Name of Shifing/Colliery/Loading Point	Sched and Declared GCV/Grade	Date of Loading	No of Wags	Rate No	Railways Receipt		Qty. as per R/R	Destination PWD Consumer	Sample Collection Date	TMS	Analysis Report On Equilibrated Consumer of 80% RH at 10 Temp/20CV/AD8				
						No	Date					W%	ASH%	GCV	Grade	S. No. No
1	Titabadi	G-4	31.5.15	7	06A	162003994	01.6.16	468872	R&PP	31.5.08	10.7	6.3	15.8	6164	G-4	034184
2	Balk-9	"	"	2	06A	162003992	12.9.08	430.98	"	10.6	6.4	18.3	5984	G-5	045908	
3	Balk-9	"	"	7	06C	162003998	430.98	"	"	10.4	6.1	15.3	6172	G-4	045908	
4	S.S. Pur	"	"	28	06D	162003991	1866.64	"	"	10.4	6.2	15.8	6153	G-4	045908	
5	Khandwa	"	"	5	06F	162003995	329.08	"	"	10.4	6.2	15.8	6175	G-4	043833	
6	Majhna	"	"	1	06E	162003994	31.92	"	"	10.7	6.3	15.7	6160	G-4	043802	
7	KMD-A	"	"	4	06A	162003993	252.80	"	"	10.8	6.1	15.3	6192	G-4	034398	
8	S.K. Pur	"	"	5	06H	162003996	233.28	"	"	10.6	6.2	15.8	6157	G-4	034433	

1. Sample received for analysis were sealed and jointly signed at loading ends.
2. Proximate analysis has been done in accordance with ISB specification IS 1350 (Part - I, 1994 & IS - 1350 (Part - II), 1978) for determination of GCV.
3. Moisture and volatile are excluded.
4. For Road, Railway, Bulk, Pipe Line etc. Shipment to be furnished Separately.

Distribution - Coal Company
Concerned Area SIA (CC)

Signature of Rep. [Signature]
Name Barkhede Arun, F.C.C.
Name of Coal Co. [Blank]

For S.N. Sanderson & Co.
Signature of Rep. [Signature]
Name [Blank]

Signature of Rep. [Signature]
Name [Blank]
Name of your client/Consumer [Blank]

K.C. Sharma & Co.
Authorized Signatory [Signature]

Signature of Rep. [Signature]
Name [Blank]

Page - 1 of 12
Bambala



K. C. Sharma & Co.

Head office: 10, Alwar Road, J No. 134
Ward - 120, Chashat Nagar, Gandhinagar (Gurgaon), 120 201
Tel: 0120-224501, Mob: 90322 8005, 90322 18240

Annexure - IV

RENEWISE ANALYSIS RESULTS OF SAMPLES DRAWN BY THIRD PARTY DURING THE PERIOD OF: May - 2015

Date:

LOADING END ANALYSIS REPORT FOR DISTRIBUTION

NAME OF COAL COMPANY: Eastern Coalfields Ltd.
AREA: Banohla

ANALYSIS LABORATORY: Banohla

Sl. No	Name of Slings/ Chiller/Loading Point	Sized and Declared GCV/Asgvd	Date of Loading	No of Tps.	Rate No	Railway Receipt		Qty as per R/R	Destination	Sample Collection Data	TMR	Analytical Result On Equilibrated Condition of 80% RH @ 20°C Temperature / ADR				F. Note No
						No	Date					Moisture	ASH%	GCV	Grade	
1.	Suk Pura	6-4	05.08.15	7	01A	1620023843	06.08.15	465.5	BSPB	05.08.15	10.9	6.1	18.7	6166	6-4	034415
2.	KMD-A	"	"	4	01B	1620023846	"	266.7	"	"	10.8	6.5	18.3	5980	6-4	049323
3.	Kanaha	"	"	4	01C	1620023844	"	264.4	"	"	10.6	6.4	19.5	6143	6-4	043861
4.	Mahua	"	"	2	01D	1620023845	"	131.0	"	"	10.9	6.2	15.7	6168	6-4	034241
5.	QALP-A	"	"	2	01E	1620023847	"	122.96	"	"	10.8	6.3	15.9	6151	6-4	039309
6.	D.S. Pura	"	"	25	01F	1620023840	"	1541.3	"	"	10.4	6.2	16.5	6170	6-4	043908
7.	Tilaha	"	"	7	01G	1620023842	"	466.6	"	"	10.8	6.1	18.9	6165	6-4	034140
8.	QALP-B	"	"	9	01H	1620023841	"	589.5	"	"	10.5	6.4	18.2	6188	6-4	039310

1. Sample analysed for analysis when sealed and tightly stored at loading point.
2. Proximate analysis has been done in accordance with IS specification IS 1356 Part - 11, 1956 & IS - 1356 Part - 11, 1970 for determination of GCV.
3. Higher moisture are included.
4. For Road, Railway, Mkt. Pipe Line etc. Statement to be furnished separately.

Signature of Rep. DR
Sr. Chemist/Chemist
Banohla Area, E.C.L.
Name of Coal Co.

Signature of Rep. DR
Sr. Chemist/Chemist
Banohla Area, E.C.L.
Name of Coal Co.

For K. C. Sharma & Co. PVT. LTD.
Asst. Manager (CHEM)
Signature of Rep. [Signature]
Name

Name of Purchasing Consultant

K. C. Sharma & Co. PVT. LTD.
Authorised Signatory
Signature of Rep. [Signature]
Name Arvind Kumar

Name of T.V. Exam.

Page - 2 of 12
Back



K. C. Sharma & Co.

Head office: 65, Ashoka Apath, Old No 134
Word - 120, Lhasan Nagar, Saranathar (Kodichal) 570 251
Tel: 0233-225002, Mail: 3752 58305, 40287 1440

Annexure - IV

REKewise ANALYSIS RESULTS OF SAMPLES DRAWN BY THIRD PARTY DURING THE PERIOD OF May - 2015

Date

NAME OF COAL COMPANY: Falgun Coalfields Ltd,

AREA: Banbaha Banbaha Coalfields UJ, Chandernagar BSPD

ANALYSIS LABORATORY: Banbaha

Page 3-10
Banbaha

Sl. No	Name of Sliding/Conveying Part	Brand and Decelerator	Date of Loading	No of Wagon	No of Wagon No	Railway Receipt		Qty. as per Bill	Destination P/W Consumer	Sample Collection Date	T.M.K.	Analysis Result On Equilibrated Condition of 60% MTD, 2mm MTD, CV / AOD				
						No	Date					MS	ASH	DDV	Grade	F. No. No
1	Banbaha	Gr-4	16.5.15	5	02A	162003930	17.5.15	318.62	BSPD	16.5.15	10.2	6.2	18.6	6172	Gr-4	054178
2	Banbaha	"	"	8	02B	162003931	"	318.09	"	"	10.6	6.4	15.3	6148	Gr-4	039328
3	Banbaha	"	"	3	02C	162003934	"	202.91	"	"	10.8	6.3	15.8	6159	Gr-4	029377
4	Banbaha	"	"	1	02D	162003928	"	64.5	"	"	10.2	6.1	15.9	6166	Gr-4	043830
5	Banbaha	"	"	1	02E	162003929	"	92.62	"	"	10.9	6.8	15.3	6182	Gr-4	034244
6	Banbaha	"	"	2	02F	162003927	"	131.44	"	"	10.6	6.1	16.4	6190	Gr-4	039383
7	Banbaha	"	"	38	02G	162003928	"	2539.88	"	"	10.8	6.3	16.8	6161	Gr-4	043916

1. Samples received for analysis were sealed and jobby signed as loading ends.
2. Proximate analysis has been done as accordance with BS specification in 138
3. Major elements are enclosed
4. For feed, Response, Date, Price etc. Statement to be furnished Separately.

Destination: Coal Company

Port of Area: S&C

No. of the Bill (B/L) Coal Co

Purchase Order number

Signature of Rep. (Signature)

Name of Chartered/Charter

Name of Coal Co

K. C. Sharma & Co. for S. N. Sunderesan & Co. for 15

ASST. Manager (Admin)

Signature of Rep.

Name

Name of Purchaser/Consumer

K.C. Sharma & Co

Authorized Signatory

Signature of Rep. (Signature)

Name of Rep. (Signature)

Name of Purchaser/Consumer

Name of Coal Co





K. C. Sharma & Co.

Head office: 16, Adarsh Apartment, J No 132
Ward - 12C, Lhasan Nagar, Gandhinagar (Kolkata) 700 201
Kolkata - 02235-224300, Mob: 93752 53385, 9057 14840

Annexure - IV

REVERSE ANALYSIS RESULTS OF SAMPLES DRAWN BY THIRD PARTY DURING THE PERIOD OF: May - 2015

Date:

NAME OF COAL COMPANY: Eastern Coalfields Ltd

LOADING END ANALYSIS REPORT FOR DISTRIBUTION

AREA: Bankola Coalfields Wd Dumka - B.3.30

ANALYSIS LABORATORY: Bankola

Sl. NO	Name of Shifting Conveying/Loading Point	Serial and Dispatch Document	Date of Loading	No. of Mgs.	Rack No.	Railways Receipt		Qty. as per RR	Destination Proj./ Consigner	Sample Collection Date	TMS	Analysis Result On				Grade	F. No. No
						No	Date					Moisture	ASH %	GRV	Temp		
1	S. E. P. Div	G-4	20.5.15	28	03A	162003950	20.5.15	1873.64	BSPB	20.5.15	11.8	6.5	15.5	15	G-4	043919	
2	Madan Lal	"	"	4	03B	162003946	"	262.92	"	"	10.6	6.2	16.2	15	G-4	0433843	
3	Madan Lal	"	"	1	03C	162003951	"	88.93	"	"	10.9	6.4	16.2	15	G-4	0542449	
4	BMD-A	"	"	4	03D	162003948	"	259.36	"	"	10.8	6.1	16.3	15	G-4	0341866	
5	BNK-I	"	"	2	03E	162003949	"	123.61	"	"	10.4	6.3	15.9	15	G-4	0341866	
6	Thibharni	"	"	2	03F	162003942	"	434.49	"	"	10.9	6.5	15.6	15	G-4	0241820	
7	BANK-II	"	"	9	03G	162003945	"	569.14	"	"	10.8	6.2	15.5	15	G-4	0343333	

1. Sample received for analysis with serial and jointly signed at loading ends
2. Practically all samples have been done in accordance with the specification of IS 1350
3. Moisture determination in accordance with IS 1350 Part-1, 1978 for determination of GCV.
4. For Road transport, the Price Line etc. Statement to be furnished Separately.

Resubmission: Coal Company

Signature of Rep. COA

Name of Coal Co. Eastern Coalfields Ltd

Signature of Rep. [Signature]

Name of Rep. [Name]

Signature of Rep. [Signature]

Name of Rep. [Name]

Name of Coal Co. Eastern Coalfields Ltd

Name of Analytical Consultant [Name]

Page - A of 12
Reverse



K. C. Sharma & Co.

Head office: 16, Anand Nagar, J No 134
Ward - 12C, Lhasah Nagar, Gardolham (Kashmir) 570 201
Tel: 0251-224300, Mob: 92752 88085, 94257 14940

Annexure - IV

REKEMISE ANALYSIS RESULTS OF SAMPLES DRAWN BY THIRD PARTY DURING THE PERIOD OF: MAY - 2015

Date:

NAME OF COAL COMPANY: Fabreem Coal Fields Ltd
AREA: Banaskela
ANALYSIS LABORATORY: Banaskela

Banaskela

LOADING END ANALYSIS REPORT FOR DISTRIBUTION
Banaskela
ASPP

Sl. No	Name of Siding/ Colliery/Loading Point	Said and declared quantity	Date of Loading	No of Wags	Rtn No	Invoices Receipt		Qty. as per Rtn	Destination (Place)	Sample Collection Date	TMS	Analytical Results (in %)				
						No	Date					Moisture	ASH	AN%	CV	Grade
1	S.S. Pn	6-4	29-05-15	40	04A	162003952	24-5-15	2589.64	ASPP	23-05-15	10.6	6.1	15.2	61.56	G-4	0489220
2	Banaskela-5	"	"	02	04B	162003956	"	197.24	"	"	10.9	6.5	15.5	61.78	G-4	039336
3	Banaskela	"	"	06	04C	162003953	"	408.90	"	"	10.8	6.3	15.2	61.55	G-4	043875
4	Banaskela-4	"	"	04	04D	162003955	"	225.46	"	"	10.5	6.2	18.2	60.82	G-5	039388
5	S.S. Pn	"	"	07	04E	162003954	"	421.85	"	"	10.7	6.4	15.3	61.82	G-4	034482

1. Sample received for analysis seen checked and found correct as per bill of lading.
2. Proximate analysis has been done in accordance with the standard method (Part - 1, 188 & of 1999 Part - 2, 187) for determination of DCI.
3. All samples are analysed.
4. For Road, Riprap, etc. Statement to be furnished separately.

Distribution: Coal Company

Concerned Area Sd/- (DCI)

Name of the Coal Field/Coal Co
Purshab Coal Co

Signature of Rep.

Name: Sr. Chemist/Analyst
Banaskela Area, E.C.C.
Name of Coal Co.

For S.N. Sundersan & Co. Banaskela

Signature of Rep. Sd/-

Name: Asst. Manager (Quality)
Banaskela Area, E.C.C.
Name of Purshab Coal Co

K.C. Sharma & Co
Authorised Signatory

Signature of Rep. Sd/-
Name: Prakash

Page-5 of 19
Banaskela



K. C. Sharma & Co.

Head Office: 16, Ailstone Road, J No 134
Ward - 120C, Jhansi Nagar, Gandhinagar, Madhni, 370 201
Tel: 0263-224300, 0263-224301, 0263-224302, 0263-224303, 0263-224304

Annexure - IV

REVERSE ANALYSIS RESULTS OF SAMPLES DRAWN BY THIRD PARTY DURING THE PERIOD OF :

May-2015

Date

NAME OF COAL COMPANY :

Eastern Coalfields Ltd.

Banohla

Consumer: BSEB

AREA

ANALYSIS LABORATORY :

Banohla

Sl. No	Name of Shifting/Colliery/Loading Point	Serial and Declared (CCY/Dated)	Date of Loading	No of Bags	No	Railways Receipt		Qty. as per Bill	Deviation Pkg/Consumer	Sample Collection Date	TUE	Analysis Result of Coal Sample (as per IS 1350)				
						No	Date					Wt	Asstn	DOV	Grade	F. Num No
1	Banohla	Q-4	28.05.15	09	SA	1620039763	24.05.15	575.12	0.58%	28.05.15	10.7	6.5	15.5	6198	Q-4	034182
2	Banohla	"	"	09	SD	1620039764	"	522.92	"	"	10.9	6.1	16.2	6192	Q-4	039238
3	Banohla	"	"	02	SE	1620039758	"	128.29	"	"	10.6	6.0	15.7	6165	Q-4	029892
4	Banohla	"	"	22	SD	1620039759	"	1352.65	"	"	10.8	6.4	15.6	6169	Q-4	043922
5	Banohla	"	"	04	SE	1620039759	"	246.93	"	"	10.2	6.2	15.8	6163	Q-4	039889
6	Banohla	"	"	05	SD	1620039762	"	306.23	"	"	10.6	6.5	15.5	6192	Q-4	034428
7	Banohla	"	"	05	SD	1620039761	"	316.16	"	"	10.9	6.3	15.4	6189	Q-4	043876
8	Banohla	"	"	01	SH	1620039760	"	60.52	"	"	10.5	6.2	15.8	6162	Q-4	043804

1. Sample received for all types work sealed and jointly signed at loading site.
 2. Proximate analysis has been done in accordance with BIS specification IS 1350 Part - I, 1974 & IS : 1036 Part - I, 1970 for determination of GCV.
 3. Major parameters are enclosed.
 4. For Road, Railway, Belt, Pipe Line etc. Statement to be furnished Separately.

Distribution : Coal Company

Observed by: SM (DGT)

of the GM (DGT) Coal Co. Banohla Area, E.C.L.

Signature of Rep. of the Coal Company
Name: Banohla Area, E.C.L.
Name of Coal Co.

Signature of Rep. of the Consumer
Name: Banohla Area, E.C.L.
Name of Purchasing Consumer

K.C. Sharma & Co.
Authorized Signatory
Signature of Rep. of the Consumer
Name: Banohla Area, E.C.L.
Name of Purchasing Consumer



K. C. Sharma & Co.

Head Office: 16, Ashoka Apartment, No. 132
Ward - 120, Upreti Nagar, Gandhinagar, Jaipur-30201
Phone: 26335, 224300, Home: 33742, 38388, 94337, 1440

Annexure - IV

Date: 05/6/15

LOADING END ANALYSIS REPORT FOR DISTRIBUTION

NAME OF COAL COMPANY: Eastern Coal Field Ltd

ANALYSIS LABORATORY: Koyero Area, Koyero Koh, Consumer - GSPB

Sl. No	Name of Sampling Point	Size and Decided GCV/Gross	Batch of Loading	No of Wagon	Bale No	Railways Receipt		Qty. in Per Cent	Destination of Consumer	Sample Collection Date	TMVA	Analysis Result On a Quota Based Collection of 60% Min 40% TMVA/GCV/AAR				
						No	Date					% Ash	GCV	Gross	F. No. No	
1	Purton / A/C	6-1	1915HS	20	01A	162000843		13.0-2.9	GSPB	12/5/15	9.9	6.1	15.7	6182	6-4	0239242
2	Madhu Bader	6-2	015/15	10	01B	162000842		6.53-8	"	"	10.2	6.7	9.5	6780	6-2	0209882
3	Koyero Koyero	6-3	1315HS	23	01C	162000840		14.82-24	"	"	10.1	6.3	12.1	6496	6-3	0229776
4	Gandhi Nagar	6-3	1315HS	06	01D	162000841		3.87-7.5	"	"	10.0	6.4	11.8	6511	6-3	0230007

1. Sample prepared for analysis were sealed and signed at loading unit.
2. Provisions analysis has been done in accordance with BIS specification IS 1350 Part - 1, 1991 & IS 1350 Part - 1, 1970 for determination of GCV.
3. Requires signature are enclosed.
4. For Road Recovery, Sub. Pipe line etc. Statement to be furnished separately.

For S. H. Singhania & Co.

K.C. Sharma & Co
Authorized Signature

Signature of Recd

[Signature]

Name

[Signature]

Name of Coal Co. SAIDA, MUMBAI

Name of Purchaser/Consumer



Signature of Recd
K. C. Sharma & Co.

Page 7 of 12
Bawal

RAKEWISE ANALYSIS RESULTS OF SAMPLES DRAWN BY THIRD PARTY DURING THE PERIOD OF MAY 2015
 LOADING END ANALYSIS REPORT FOR DISTRIBUTION

Name of the Coal Company: ECL
 Area - Sonapur Hazari Area
 Analysis Laboratory - Sonapur Baran & Kanda

Sl No	Name of Colliery	Reaction of Cr	Dr. of Ldg.	No of Boxes	Station No	Receipt No	Fracture No	R.R. Qty TTS	Name of TTS	Sample analysis date	FM %	Analysis result or composition of Sulphur (%)	GCV	Gr.
1	SBP1	G-4	13-05-2015	27	1A	132004940	48527	1.803	BSPB	10-05-2015	10.30	5.36	18.40	6168
2	SBP1	G-4	13-05-2015	9	16	162004939	48528	5.92	BSPB	10-05-2015	10.30	5.30	18.30	6177
3	SBP2	G-4	13-05-2015	20	10	162004941	48529	1.312	BSPB	10-05-2015	10.10	5.35	18.70	6212
4	SBP1	G-4	14-05-2015	28	2A	162004944	48519	1.813	BSPB	25-05-2015	10.30	5.05	18.30	6088
5	SBP1	G-4	14-05-2015	7	2B	162004940	48520	4.44	BSPB	20-05-2015	10.20	5.06	18.30	6179
6	SBP2	G-4	14-05-2015	21	2C	162004948	48521	1.251	BSPB	20-05-2015	10.30	4.99	18.05	6185
7	SBP1	G-4	14-05-2015	22	2A	162004979	48524	1.405	BSPB	24-05-2015	10.30	4.01	18.05	6148
8	SBP1	G-4	14-05-2015	24	2B	162004978	48525	1.404	BSPB	24-05-2015	10.50	4.01	18.05	6158
9	SBP2	G-4	14-05-2015	12	2C	162004980	48526	7.26	BSPB	24-05-2015	10.10	4.96	18.30	6172
10	SBP1	G-4	14-05-2015	29	4A	162004981	48527	1.857	BSPB	24-05-2015	10.10	5.06	18.70	6215
11	SBP1	G-4	14-05-2015	21	4B	162004982	48528	1.304	BSPB	24-05-2015	10.20	5.04	18.50	6234
12	SBP2	G-4	14-05-2015	12	4C	142002022	48571	7.51	BSPB	24-05-2015	10.30	5.04	18.50	6235
13	SBP1	G-4	22-05-2015	29	2A	162004920	48508	1.923	BSPB	27-05-2015	10.60	5.01	18.50	6199
14	SBP1	G-4	22-05-2015	17	2B	162004921	48509	8.66	BSPB	27-05-2015	10.40	5.04	18.05	6178
15	SBP2	G-4	22-05-2015	21	2C	162004922	48510	13.20	BSPB	27-05-2015	10.20	5.07	18.50	6212
16	SBP1	G-4	24-05-2015	23	6A	162005046	48535	1.725	BSPB	29-05-2015	10.30	5.09	18.90	6184
17	SBP1	G-4	24-05-2015	15	6B	162005049	48536	5.97	BSPB	29-05-2015	10.40	5.00	18.90	6162
18	SBP2	G-4	24-05-2015	10	6C	162005047	48537	1.113	BSPB	29-05-2015	10.20	5.03	17.90	6211
19	SBP1	G-4	26-05-2015	27	7A	162005058	48527	1.361	BSPB	31-05-2015	10.30	5.31	18.90	6201
20	SBP1	G-4	26-05-2015	15	7B	162005057	48528	1.003	BSPB	31-05-2015	10.40	5.36	18.70	6234
21	SBP2	G-4	28-05-2015	21	7C	162005056	48529	1.345	BSPB	31-05-2015	10.10	5.92	18.80	6211

1. Samples received for analysis were sealed and jointly signed at loading ends.
2. Proximate analysis has been done in accordance with BIS section 15: 134X(Para 1), 1964 & IS: 1349(Para 1), 1970 for determination of GCV.
3. Weighted statement are enclosed.
4. For Road Freight, Port, Pipe line etc. statement to be furnished separately.

Signature of Fwd. of S.B.A
 1. Area Sales manager, SSA
 2. GM/OC, ECL HQ
 3. Controller

Signature of Rep. of Power House
 For S.M. Sanderson & Co. Pvt. Ltd.
 Asset Management



Page 8 of 12
 Dinesh

Page No. of 12
Book

K.C.SHARMA & CO.
SUPERINTENDENCE CO. OF INDIA (PVT.) LTD
LOADING END ANALYSIS REPORT FOR DISTRIBUTION


Name of the Coal Company- ECL
 Area - S. B AREA, SEC- III (DALURBAND SIDING)
 Analysis Laboratory- Pandaveswar area Laboratory.

Sl No	Name of colliery/Siding	Declared Grade	Dx. Of Ldg	No of Box	Rate No	F. No		R.R. Dty	Destination PHS, Cansu met	Sample collection date	TM %	Analysis result on equilibrated condition of 50% RH 40°C temp. GCV			
						No.	Date					M%	Ash%	GCV	
1	SBP (DLB. SDG.)	G-4	04.05.15	56	1	044546	04.05.15	3692.46	BARH	04.05.15	10.5	6.43	15.87	6142	G-4
2	SBP (DLB. SDG.)	G-4	24.05.15	58	2	044574	24.05.15	3623.31	BARH	24.05.15	10.7	6.35	15.76	6175	G-4
3	SBP (DLB. SDG.)	G-4	26.05.15	39	03A	044577	26.05.15	2525.58	BARH	26.05.15	10.4	6.46	15.89	6138	G-4
4	SBP (DLB. SDG.)	G-4	29.05.15	44	04A	044580	28.05.15	2606.55	BARH	29.05.15	10.6	6.37	15.74	6169	G-4
5	SBP (DLB. SDG.)	G-4	31.05.15	41	05A	044583	31.05.15	2592.28	BARH	31.05.15	10.5	6.34	15.92	6157	G-4

1. Samples received for analysis were sealed and jointly signed at loading ends.
2. Proximate analysis has been done in accordance with BIS certification IS: 1350 (Part-I), 1984 & IS : 1350 (Part-II), 1970 for determination of GCV
3. Wagon's statement are enclosed
4. For Road, Ropeway, Ball, Pipe line etc. statement to be furnished separately.

Date: 28/05/15
 Signature of Rep. J. G. G. G.
 Name: J. G. G. G.
 Name of Coal Co. Pandaveswar Area Laboratory
 (Pandaveswar Area, C. S. S.)

For S.N. Sunderam & Co. 28/05/15
 Assit. Manager (Chem.)
 Signature of Rep. [Signature]
 Name: [Name]
 Name of Consumer: [Name]


 Signature of Rep. [Signature]
 Name: Aravind Kumar
 Name of Third Party: [Name]

To The G.M. (B.C.)
Sanctoriya (H.B.)
Ref: - 08/A2/120

Date - 16/6/15
K.C. SHARMA & CO.
Page - 10 of 12
Bussel

RAKEWISE ANALYSIS RESULTS OF SAMPLES DRAWN BY THIRD PARTY DURING THE PERIOD OF MAY 2015
LOADING/END ANALYSIS REPORT FOR DISTRIBUTION

Name of the Coal Company - ECL
Area - Paradeswar
Analysis Laboratory - Paradeswar area Laboratory.

Sl No	Name of colery/Sikens	Declared Grade	Dt. of Ldg	No. of Bks	Stack No	F. No.		R.R Qty	Destination PHS/Overal mtr	Sample collection date	TM %	Analysis result on equilibrated condition of 00% RH at 47°C temp. GCV			
						No	Date					MM	MM	GCV	
1	MADHAI PUR	G-4	17/18.05.15	30	01A	0422008	18.05.15	2083.15	BARH	18.05.15	10.6	5.39	15.58	6148	G-4
2	MANDER BONI	G-4	17/18.05.15	29	01B	015948	18.05.15	2023.64	BARH	18.05.15	10.5	8.45	15.76	6174	G-4
3	KTD CHP	G-3	26.05.15	20	03B	042073	28.05.15	1242.87	BARH	26.05.15	10.4	8.51	12.43	6463	G-3
4	KTD CHP	G-3	26/28.05.15	14	04B	042074	28.05.15	871.77	BARH	29.05.15	10.6	6.42	13.75	6341	G-4
5	KTD CHP	G-3	31.05.15	15	05B	042076	31.05.15	921.84	BARH	31.05.15	10.7	6.37	12.79	6488	G-3

1. Samples received for analysis were sealed and jointly signed at load/rgt ends
2. Proximate analysis has been done in accordance with BIS specification IS 1350(Part-I), 1984 & IS : 1350(Part-II), 1970 for determination of GCV
3. Wagons statement are enclosed
4. For Road, Ropeway, Belt, Pipe line etc. statement to be furnished separately.

Signature of Rep
Name: J. G. V. S.
Name of Rep
Paradeswar Area Laboratory
Paradeswar Area, E.C.L.

Sr. S. M. Sundarao
Asst. Manager
Signature of Rep
Name: S.
Name of Consumer:

Sr. S. M. Sundarao
Signature of Rep
Name: A. M. S. S. S.
Name of Third Party:





RAKEWISE ANALYSIS RESULTS OF SAMPLES DRAWN BY THIRD PARTY DURING THE PERIOD OF MAY 2015
LONDONER ANALYSIS REPORT FOR DISTRIBUTION

Page-11 of 12
 Bangalore

Name of the Coal Company: ECL
 Area - Bangalore Export Area
 Analysis Laboratory- Sreejaya Diesel & Kerosene

Sl No	Name of colliery	Declared Qt. of Ldg. Cr.	Date of Ldg.	No of Pallets	No of Boxes	Inventory Receipt No	Fiscal No	R/R Qty	Name of Third Party	Sample date	Moisture %	Analysis result on equilibration condition at 40% RH @ 25 Temp. & 50% RH		Gr.
												ASH%	GCU	
22	SEEP	G-4	27-05-2015	19 BA	182005061	48896	1362.22	BSPPB	02-06-2015	10.50	6.01	16.50	5145	G-4
23	SEEP1	G-4	27-05-2015	19 BB	182005062	48906	914.25	BSPPB	02-06-2015	10.50	5.96	16.70	5169	G-4
24	SEEP2	G-4	27-05-2015	20 BC	182005063	48916	1407.83	BSPPB	02-06-2015	10.40	6.93	16.40	5147	G-4
25	SEEP	G-4	28-05-2015	21 BA	182005077	48988	1307.58	BSPPB	04-06-2015	10.30	6.88	15.70	5211	G-4
26	SEEP1	G-4	28-05-2015	19 BB	182005078	48987	947.26	BSPPB	04-06-2015	10.10	5.91	15.50	5224	G-4
27	SEEP2	G-4	28-05-2015	20 BC	182005079	48988	1414.79	BSPPB	04-06-2015	10.50	6.01	15.50	5198	G-4
28	SEEP	G-4	28-05-2015	20 BC	182005080	48986	1282.4	BSPPB	04-06-2015	10.70	5.96	16.30	5179	G-4
29	SEEP1	G-4	28-05-2015	19 BB	182005081	48986	919.27	BSPPB	04-06-2015	10.40	5.97	15.90	5215	G-4
30	SEEP2	G-4	28-05-2015	24 CC	182005081	48987	1362.42	BSPPB	04-06-2015	10.50	5.98	16.60	5227	G-4

1. Samples received for analysis were sealed and jointly signed at loading ends.
2. Preliminary analysis has been done in accordance with BIS specification IS 1300 Part-I, 1994 & IS 1300 Part-II, 1970 for determination of GCY.
3. All yours statement are attached.
4. For Round, Recovery, Eff. type from etc. statement to be furnished separately.

Date: 9/6/15

Signature of Rep. of S B A
 Distribution:
 1. Area Sales manager, SBA
 2. GM/CO, ECL HD
 3. Consumer

Signature of Rep. of Power House
 For S.A. Sundararam & Co
 Area Manager, Bangalore

Signature of Third Party

K. C. Sharma & Co.

Head office: 16, Advance Apartment, J No 134
 Ward - 12/C, Eastern Nagar, Gandhinagar (Nagarkheda) 370 201
 Telephone: 02835-224300, Mob: 93752 98385, 94287 14840

Page - 12 of 12
 Date: 05/6/11
 Annexure

EMISE ANALYSIS RESULTS OF SAMPLES DRAWN BY THIRD PARTY DURING THE PERIOD OF: May 15
 LOADING END ANALYSIS REPORT FOR DISTRIBUTION

ME OF COAL COMPANY: Eastern Coalfield Ltd
 EA: Koyara Area
 ALYSIS LABORATORY: Koyara Area
Koyara Area
Consumer - BSPB

Name of Siding/ Colliery/Loading Point	Size and Declared GCV/Grade	Date of Loading	No of Wags.	No of Rake No.	Railways Receipt		Qty. in Per RR	Destination Pkt/ Consumer	Sample Collection Date	Tara	Analytical Result On Equilibrated Condition of 60% RH 40°C Temp/GCV / ADB							
					No	Date					Wt%	Ash%	GCV	Grade	F. No			
2																		
Portan/ole	5-4	13/5/15	20	01A	162000843		1380.27	BSPB	13/5/15	9.9	6.1	15.7	6188	5-4	029			
Madhu/guden	5-2	13/5/15	10	01B	162000842		653.8	"	11	10.2	6.7	9.5	6760	5-2	020			
Khan/Kayom	5-3	13/5/15	23	01C	162000840		1422.24	"	11	10.1	6.3	12.1	6496	5-3	022			
Gandak/Kayom	5-3	13/5/15	06	01D	162000841		387.75	"	11	10.0	6.4	11.8	6511	5-3	023			

Please received for analysis were sealed and jointly signed at loading ends
 - 11, 1964 & IS - 1350 (Part - II), 1970 for determination of GCV.

Coal Company
 Signed & nos SM (GCV)
 of the GCM (GCV) Coal Co.
 Purchaser / Consumer

Signature of Rep.
 Name
 Name of Coal Co
 Koyara Area
 EASTERN COALFIELD LTD

S. M. Subudige & Co.
 Signature of Rep.
 Name
 Name of Purchaser/Consumer

K.C. Sharma & Co
 Authorized Signature

Signature of Rep.
 Name
 Name of 3rd Party
 K.C. Sharma & Co
 Signature of Rep.
 Name
 Name of 3rd Party