

**Eastern Coalfields Limited
Computer Centre, Kolkata**

ECL/Compu/Notice/ FSA/ 10

Dated: 07.01.2015

**Notice for Supply of coal by Road for Jan, 2015
Booking orders a/c Road Mode consumers of ECL under FSA**

Booking Period : 13.01.2015, 14.01.2015 & 15.01.2015

Group I : Allocation : 60% Grades-G6 & above

Colliery	Seam	Mid GCV	Size	Qty	%age
Chitra OCP	Colony	6550/ G3	STM(-250mm)	117	31
Ningha	Dishergarh (R-IV)	6550/ G3	STM(-250mm)	23	6
Dalurband	Dobrana (R - VII A&B)	6250/ G4	STM(-250mm)	137	36
Bansra	Kenda(R-VI)	6550/ G3	STM(-250mm)	103	27

Group II: Allocation: 60% Grades- G1-G4 and G6 & above

Colliery	Seam	Mid GCV	Size	Qty	%age
Chitra OCP	Colony	6550/ G3	STM(-250mm)	689	31
Ningha	Dishergarh (R-IV)	6550/ G3	STM(-250mm)	135	6
Dalurband	Dobrana (R - VII A&B)	6250/ G4	STM(-250mm)	809	36
Bansra	Kenda(R-VI)	6550/ G3	STM(-250mm)	607	27

Grades- G5-G10

Rajmahal OCP	{III & II Comb, {III &	5050/G8	STM(-250mm)	156	34
Badjna (U/G)	Kalimati (B-I I)	5950/G5	STM(-250mm)	17	4
Shampur U/G	Gopinathpur -B(IV)	5950/G5	STM(-250mm)	52	11
Chapapur-II (U/G)	Kalimati (B-I I)	5950/G5	STM(-250mm)	52	11
Rajpura OCP	Kalimati (B-I I)	5950/G5	STM(-250mm)	58	12
Gopinathpur Oc Patch	Gopinathpur -B(IV)	5950/G5	STM(-250mm)	35	7
Barmuri Project	Kalimati (B-I I)	5950/G5	STM(-250mm)	46	10
Khoodia U/G	Brindabanpur (B-III)	5950/G5	STM(-250mm)	26	6
Harajam (U/G)	Brindabanpur (B-III)	5950/G5	STM(-250mm)	22	5

Group III: Allocation: 60% Grades- G1-G4 and G6 & above

Colliery	Seam	Mid GCV	Size	Qty	%age
Chitra OCP	Colony	6550/ G3	STM(-250mm)	78	31
Ningha	Dishergarh (R-IV)	6550/ G3	STM(-250mm)	15	6
Dalurband	Dobrana (R - VII)	6250/ G4	STM(-250mm)	92	36
Bansra	Kenda(R-VI)	6550/ G3	STM(-250mm)	69	27

Grades- G5-G10

Rajmahal OCP	{III & II Comb, {III &	5050/G8	STM(-250mm)	61	34
Badjna (U/G)	Kalimati (B-I I)	5950/G5	STM(-250mm)	9	4

Shampur U/G	Gopinathpur –B(IV)	5950/G5	STM(-250mm)	20	11
Chapapur-II (U/G)	Kalimati (B-I I)	5950/G5	STM(-250mm)	20	11
Rajpura OCP	Kalimati (B-I I)	5950/G5	STM(-250mm)	23	12
Gopinathpur Oc Patch	Gopinathpur –B(IV)	5950/G5	STM(-250mm)	14	7
Barmuri Project	Kalimati (B-I I)	5950/G5	STM(-250mm)	18	10
Khoodia U/G	Brindabanpur (B-III)	5950/G5	STM(-250mm)	10	6
Hariajam (U/G)	Brindabanpur (B-III)	5950/G5	STM(-250mm)	9	5

Group IV [BRQ + SCM – Combined] : Allocation : 60% Grades- G1-G4 and G6 & above

Colliery	Seam	Mid GCV	Size	Qty	%age
Chitra OCP	Colony	6550/ G3	STM(-250mm)	151	31
Ningha	Dishergarh (R-IV)	6550/ G3	STM(-250mm)	30	6
Dalurband	Dobrana (R – VII	6250/ G4	STM(-250mm)	178	36
Bansra	Kenda(R-VI)	6550/ G3	STM(-250mm)	133	27

Grades- G5-G10

Rajmahal OCP	{III & II Comb, {III &	5050/G8	STM(-250mm)	504	34
Badjna (U/G)	Kalimati (B-I I)	5950/G5	STM(-250mm)	56	4
Shampur U/G	Gopinathpur –B(IV)	5950/G5	STM(-250mm)	168	11
Chapapur-II (U/G)	Kalimati (B-I I)	5950/G5	STM(-250mm)	168	11
Rajpura OCP	Kalimati (B-I I)	5950/G5	STM(-250mm)	186	12
Gopinathpur Oc Patch	Gopinathpur –B(IV)	5950/G5	STM(-250mm)	112	7
Barmuri Project	Kalimati (B-I I)	5950/G5	STM(-250mm)	149	10
Khoodia U/G	Brindabanpur (B-III)	5950/G5	STM(-250mm)	84	6
Hariajam (U/G)	Brindabanpur (B-III)	5950/G5	STM(-250mm)	70	5

Group V [SPI – OLD]: Allocation: 60% Grades- G1-G4

Colliery	Seam	Mid GCV	Size	Qty	%age
Chitra OCP	Colony	6550/ G3	STM(-250mm)	1231	31
Ningha	Dishergarh (R-IV)	6550/ G3	STM(-250mm)	241	6
Dalurband	Dobrana (R – VII	6250/ G4	STM(-250mm)	1445	36
Bansra	Kenda(R-VI)	6550/ G3	STM(-250mm)	1084	27

Group VI [SPI – NEW]: Allocation: 60% Grades- G1-G4 and G6 & above

Colliery	Seam	Mid GCV	Size	Qty	%age
Chitra OCP	Colony	6550/ G3	STM(-250mm)	288	31
Ningha	Dishergarh (R-IV)	6550/ G3	STM(-250mm)	56	6
Dalurband	Dobrana (R – VII	6250/ G4	STM(-250mm)	339	36
Bansra	Kenda(R-VI)	6550/ G3	STM(-250mm)	254	27

Grades- G5-G10

Rajmahal OCP	{III & II Comb, {III &	5050/G8	STM(-250mm)	948	34
Badjna (U/G)	Kalimati (B-I I)	5950/G5	STM(-250mm)	105	4

Shampur U/G	Gopinathpur -B(IV)	5950/G5	STM(-250mm)	315	11
Chapapur-II (U/G)	Kalimati (B-I I)	5950/G5	STM(-250mm)	315	11
Rajpura OCP	Kalimati (B-I I)	5950/G5	STM(-250mm)	350	12
Gopinathpur Oc Patch	Gopinathpur -B(IV)	5950/G5	STM(-250mm)	210	7
Barmuri Project	Kalimati (B-I I)	5950/G5	STM(-250mm)	280	10
Khoodia U/G	Brindabanpur (B-III)	5950/G5	STM(-250mm)	158	6
Hariajam (U/G)	Brindabanpur (B-III)	5950/G5	STM(-250mm)	131	5

Group VII (State Agency) Allocation-60% Grades- G5-G10

Rajmahal OCP	{III & II Comb, {III &	5050/G8	STM(-250mm)	5134	34
Badjna (U/G)	Kalimati (B-I I)	5950/G5	STM(-250mm)	569	4
Shampur U/G	Gopinathpur B(IV)	5950/G5	STM(-250mm)	1708	11
Chapapur-II (U/G)	Kalimati (B-I I)	5950/G5	STM(-250mm)	1708	11
Rajpura OCP	Kalimati (B-I I)	5950/G5	STM(-250mm)	1898	12
Gopinathpur Oc Patch	Gopinathpur -B(IV)	5950/G5	STM(-250mm)	1139	7
Barmuri Project	Kalimati (B-I I)	5950/G5	STM(-250mm)	1518	10
Khoodia U/G	Brindabanpur (B-III)	5950/G5	STM(-250mm)	854	6
Hariajam (U/G)	Brindabanpur (B-III)	5950/G5	STM(-250mm)	712	5

Group VIII [Cokery]: Allocation: % Grades- G5-G10 & W-III

Colliery	Seam	Mid GCV	Size	Qty	%age
Badjna (U/G)	Kalimati (B-I I)	5950/G5	STM(-250mm)	345	4
Shampur U/G	Gopinathpur -B(IV)	5950/G5	STM(-250mm)	1034	14
Chapapur-II (U/G)	Kalimati (B-I I)	5950/G5	STM(-250mm)	1034	14
Rajpura OCP	Kalimati (B-I I)	5950/G5	STM(-250mm)	1149	15
Gopinathpur Oc Patch	Gopinathpur -B(IV)	5950/G5	STM(-250mm)	690	9
Barmuri Project	Kalimati (B-I I)	5950/G5	STM(-250mm)	919	12
Khoodia U/G	Brindabanpur (B-III)	5950/G5	STM(-250mm)	517	7
Hariajam (U/G)	Brindabanpur (B-III)	5950/G5	STM(-250mm)	431	6
Hariajam		W-III	STM(-250mm)	1500	19

Group X [FSA through LOA]: Allocation: 50% Grades- G5-G10

Rajmahal OCP	{III & II Comb, {III &	5050/G8	STM(-250mm)	3613	34
Badjna (U/G)	Kalimati (B-I I)	5950/G5	STM(-250mm)	401	4
Shampur U/G	Gopinathpur -B(IV)	5950/G5	STM(-250mm)	1202	11
Chapapur-II (U/G)	Kalimati (B-I I)	5950/G5	STM(-250mm)	1202	11
Rajpura OCP	Kalimati (B-I I)	5950/G5	STM(-250mm)	1336	12
Gopinathpur Oc Patch	Gopinathpur -B(IV)	5950/G5	STM(-250mm)	801	7
Barmuri Project	Kalimati (B-I I)	5950/G5	STM(-250mm)	1068	10
Khoodia U/G	Brindabanpur (B-III)	5950/G5	STM(-250mm)	601	6
Hariajam (U/G)	Brindabanpur (B-III)	5950/G5	STM(-250mm)	501	5

B

Note: *Booking will be allowed on above basis from 13.01.2015.*

1. The residual coal remaining un-booked till **13.01.2015** will be offered amongst the consumers within the group on **14.01.2015** to the extent of 5% of the colliery wise residual quantity or 9 mts, whichever is higher, on first – come – first served basis.
2. The residual coal remaining un-booked, if any, till **14.01.2015**, will be offered amongst the consumers within the group on **15.01.15** without any colliery wise percentage restriction on first – come – first served basis but within the Monthly Schedule Quantity.
3. The price of booking shall be the source-wise, GCV-wise declared FSA price and be applicable for sale of coal to above consumers.
4. Sale Orders will be issued after encashment of the Draft etc.
5. Lifting against all Sale Orders will not commence before **22.01.15**. Validity of the Sale Orders will be **45 days w e f 22.01.15**.
6. The above is applicable for all the FSA Units subject to the submission of proper documents for the month of **December, 2014**.

Other Terms and conditions are enclosed.

Management reserves the right to amend / modify / cancel the above programme without showing any reason thereof.


07/1/15
Sr. Manager (Sales)


Distribution:

Notice Board, Computer Centre / Sanctoria Sales Office
Gr. General Manager (S&M), ECL, HQ
HOD, ECL, Kolkata
Sr Manager (Sales) ECL, HQ

Terms and conditions

Coal will be released only on submission of copy of 'consent to operate' certificate from Pollution Control Board of respective States, duly attested by 1st Class Judicial Magistrate / Notary Public.

1. Coal will be released to the extent of MSQ as per FSA.
2. On any particular day of booking, consumer is advised not to book orders from both the prevailing booking centre i.e. Computer Centre, Kolkata and Sanctoria Sales Office. In case, orders for booking are received from both the location on any particular day of booking, both the booking will be treated as invalid.
3. In the event, the source wise ceiling limit for booking when applied on the MSQ of a consumer is found to be less than a truck load quantity then the consumer shall be allowed to book one truck load. However, in no case the booking will continue beyond the source wise offered quantity. The booking will stop once offered quantity is fully booked.
4. In terms of the decision of Competent Authority, loading of steam coal will be limited to the top size of 250mm through mechanical or fork loading only.
5. Validity for lifting will be 45 days from the notified date. On expiry of the validity period, the unlifted quantity of coal, if, will lapse and the unit shall apply for refund / adjustment of outstanding value as the prevailing system in vogue.


07/1/15
Sr. Manager (Sales)